



## Biogal – Galed Labs.

Kibbutz Galed, 19240, Israel

Tel: 972-4-9898605 • Fax: 972-4-9898690

E-mail: [info@biogal.co.il](mailto:info@biogal.co.il) • Site: [www.biogal.co.il](http://www.biogal.co.il)

---

February, 2008

# SAFETY DATA SHEET

## SECTION I – IDENTIFICATION

**Trade Name:** ImmunoComb<sup>®</sup> Murine *Mycoplasma pulmonis*- Rodent Coronavirus- Sendai Virus Antibody Test Kit

## SECTION II – INFORMATION ON COMPONENTS

**Chemical Name:** Not applicable

**Cas Number:** Not applicable

## SECTION III – HAZARD DATA

**Dot Hazard Class:** Not applicable

**Human and environment effects:** Not applicable

## SECTION IV – HEALTH DATA

**General Indications:** Diagnostic kit for in-vitro antibody testing for *Mycoplasma pulmonis* & Rodent Coronavirus & Sendai virus for mouse and rat.

**Eye Contact:** See section VI

**Skin Contact:** See section VI

**Inhalation:** See section VI

**Ingestion:** See section VI

**Information for physician:** See section VI

## SECTION V – FIRE AND EXPLOSION HAZARD DATA

**General Indications:** Not applicable

**Extinguishing Media:** Not applicable

**Non Suitable Extinguishing Media:** Not applicable

**Protective Media:** Not applicable

## SECTION VI – SPILL, LEAK AND DISPOSAL INFORMATION

**Safety Measures for Handling:** The ImmunoComb<sup>®</sup> kit contains inactivated biological and Sodium Azid 0.1% as preservative. Kit must be handled and disposed of in accordance with accepted sanitary requirements. Use large amounts of water to flush kit solutions down sewage/drainage system.

**Safety Measures for Environment:** Avoid contact of spillage with skin or eyes. In case of accidental contact, wash the area with plenty of cool tap water.

**Cleaning Methods:** All kits components should be kept sealed in their original package materials. Developing plate should be kept sealed unless opened for use.

In case of damage to aluminum cover or to plastic case, or in case of leakage of solutions, dispose of the kit in a sanitary manner.

## SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND STORAGE

**Indications for Safe Handling:** Kit not to be frozen, avoid cross-contamination of solutions, avoid mixing solutions from different kits and from different compartments of one kit, avoid touching teeth of ImmunoComb card. Store the kit refrigerated at 2-8 Degrees Celsius.

**Indications for Fire and Explosion:** Not applicable

## SECTION VIII – INDIVIDUAL PROTECTIONS

**Technical Protective Measures:** See section VI

**Effects of Overexposure:** Not applicable

**Individual Protections:** When performing the test, wear disposable gloves.

**Hygienic and Protective Measures:** When performing the test, wear disposable gloves.

## DATA SECTION IX – PHYSICAL

Solutions for developing plate:

**State:** fluids

**Appearance:** colourless to yellow

**Colour:** -----#-----

**Odor:** none

**Boiling Point:** ~ 100 Degrees Celsius

**Melting Point:** Not applicable

**Evaporation Rate:** -----#-----

**Storage Condition:** 2-8 Degrees Celsius

**Solubility in Water:** Not applicable

**Specific Gravity:** ~ 1

**Ph:** 7-9

**Flash Point:** Not applicable

**Ignition Temperature:** Not applicable

**Flammable Limits:** -----#-----

## SECTION X – REACTIVITY DATA

**Stability:** 1 year

**Conditions to Avoid:** Heating above 40 Degrees Celsius

**Material to Avoid:** Not applicable

**Hazardous Decomposition in Product:** Not applicable

## SECTION XI – TOXICOLOGY INFORMATION

**Carcinogenicity:** Solutions contain 0.1% Azid (as preservative) which should be regarded potentially carcinogenic and any contact should be avoided. See section VI and VIII.

## SECTION XII – ECOLOGY INFORMATION

See section VI.

## SECTION XIII – WASTE DISPOSAL

See section VI.

## SECTION XIV – SHIPMENT INFORMATION

To be shipped refrigerated at 2-8 Degrees Celsius, not to be turned over, handled as "fragile", no exposure to vacuum.

## SECTION XV – REGULATION INFORMATION

None.

## REFERENCE

**Trade Name:** ImmunoComb<sup>®</sup> Murine *Mycoplasma pulmonis*- Rodent Coronavirus- Sendai Virus Antibody Test Kit

### **Kit Contents:**

- 3 Developing plates
- 3 ImmunoComb<sup>®</sup> cards
- 3 Specimen papers with pre-punched disks
- 1 Positive Control
- 1 Negative Control
- 2 Blood lancets
- 40 Heparinized capillary tubes
- 1 Tweezers
- 1 Calibrated CombScale color card
- 1 Results Sheet
- 1 Instruction Manual

### Solutions in developing plate:

**Compartment A:** Serum diluent.

**Compartment B, D, F:** Wash solution with tween (0.05%).

**Compartment C:** Goat Anti Mouse IgG (H+ L) Alkaline Phosphatase conjugate and Goat Anti Rat IgG (H+ L) Alkaline Phosphatase conjugate.

**Compartment E:** Colour substrat reagent containing BCIP (0.02%) (5 bromo 4 chloro 3 indolyl phosphate and Nitroblue tetrazolium).

All solutions contain Sodium Azid 0.1% as a preservative.

### Basic Packing of ImmunoComb<sup>®</sup> Murine *Mycoplasma pulmonis*- Rodent Coronavirus- Sendai Virus:

The kit is contained in a carton package.

1. The ImmunoComb<sup>®</sup> plastic card is enclosed in aluminum envelop.
2. All the solutions are prefilled into a plastic (polystyrene) plate, sealed with aluminum foil.
3. 100µl of controls, dispensed in plastic vials.
4. 1 Vial that contains 40 capillary tubes
5. 1 Disposable tweezers.
6. 1 calibrated CombScale colour card.
7. 3 Specimen papers with pre-punched disks
8. Results Sheet
9. Instruction User Manual.